

## Recommendations for "Christmas trees"

Time	Aim/Problem	Recommendation
With soil-applied herbicides	Improvement in effectiveness and tolerability of soil-applied herbicides	0,2 - 0,6 l/ha <b>Herbosol®</b> (Increase to 0.6 l/ha on light soils with a low humus content; reduce to 0.2 l/ha for heavy soils with a high humus content.)
Before new planting	Root formation, growth, initial development	<b>Aminosol®</b> (Immerse the plants in a solution of 1% or alternatively water with 5 - 10 l/ha)
With plant protection products	Improvement in effectiveness and tolerability of plant protection products	150 - 300 ml <b>Aminosol®</b> (per 100 l spray water)
In the event of stress at the site	To cover periods with poor growth conditions	4 - 6 l/ha <b>Lebosol®-Total Care</b>
From budding	Initial development, vitality, energy and water balance, N efficiency	1 - 3 times 6 - 8 l/ha <b>Lebosol®-PK-Max</b>
From budding	Bud and shoot development	2 - 3 times 1 - 2 l/ha <b>Lebosol®-AqueBor SC</b>
From budding	Vitalisation, photosynthesis rate, resilience, N efficiency, winter hardiness	2 - 4 times 3 - 4 l/ha <b>Lebosol®-Schwefel 800 SC</b>
From budding	Vitalisation, photosynthesis rate, resilience, N efficiency, winter hardiness	2 - 4 times 0,25 - 0,75 l/ha <b>Lebosol®-Kupfer 350 SC</b>

You can find further products and information on our website [www.lebosol.de](http://www.lebosol.de)!

If you have any questions or comments, please contact our field sales team or ring our hotline on +49 (0) 63 28-9 84 94-80!

Time	Aim/Problem	Recommendation
From budding	Vitalisation, photosynthesis rate, resilience, N efficiency, winter hardiness	2 - 4 times 1 l/ha <a href="#"><u>Lebosol®-Mangan GOLD SC</u></a>
From budding	Vitalisation, photosynthesis rate, resilience, N efficiency, winter hardiness	2 - 4 times 4 - 6 l/ha <a href="#"><u>VITALoSol® GOLD SC</u></a>
During the vegetation period	Prevention and alleviation of iron chlorosis, improvement in water transport, leaf quality	2 - 3 times 3 - 7 l/ha <a href="#"><u>Lebosol®-Eisen-Citrat GOLD</u></a>
During the vegetation period	To prevent premature leaf drop; increased vitality, leaf quality, photosynthesis rate	2 - 3 times 3 - 5 l/ha <a href="#"><u>Lebosol®-MagSOFT SC</u></a>
When required	Treated crops are avoided by furred game	2 l <a href="#"><u>Aminosol®</u></a> (With 2 l water 2 - 3 days beforehand, quantity for 1 ha)

You can find further products and information on our website [www.lebosol.de](http://www.lebosol.de)!  
 If you have any questions or comments, please contact our field sales team or ring our hotline on +49 (0) 63 28-9 84 94-80!