

Lebosol[®]-Molybdenum

Straight inorganic micronutrient fertiliser Micronutrient solution fertilizer

15.8% Molybdenum as water soluble sodium salt (215 g/l Mo)

Crops with nutrient deficiency will be more susceptible against diseases and abiotic stress. Foliar fertilization with macro-and micro-elements will ensure an optimized plant nutrition.

Сгор	Aim/Problem	Recommendation	Time
In all crops	For molybdenum nutrition, N efficiency, yield, photosynthesis rate	Fertigation	Ask your consultant
In all crops	For molybdenum nutrition, N efficiency, yield, photosynthesis rate	0.25 l/ha (as foliar fertili- zation in at least 200 l water. Upon application with backpack sprayer 0.1%)	When required
Pasture land	Improvement in nodulation, N efficiency, vitality	2 – 3 times 0.25 l/ha	During the vegetation period
Legumes	Improvement in nodulation, N efficiency, vitality	1 – 2 times 0.25 l/ha	From 6-leaf stage
Oilseed rape	To prevent whiptail symptoms, vitality, N efficiency	1 – 2 times 0.25 l/ha	From 4-leaf stage
Sunflowers	N efficiency, vitality	1 – 2 times 0.25 l/ha	From 4-leaf stage
Sugar beet	To prevent distorted curding and whiptail symptoms, vitality, N efficiency	1 – 2 times 0.25 l/ha	From 6-leaf stage

sustainable plant nutrition



MADE IN GERMANY

Crop	Aim/Problem	Recommendation	Time
Citrus fruits	N efficiency, vitality, leaf quality (yellow spot)	1 – 4 times 0.25 l/ha	From white buds
Medicinal plants, scented plants and spice plants	Yield, improvement in nodula- tion, N efficiency, vitality	1 – 2 times 0.25 l/ha	Once sufficient leaf mass has developed
General vegetables	Yield, improvement in nodula- tion, N efficiency, vitality	1 – 2 times 0.25 l/ha	Once sufficient leaf mass has developed

